

BRILANOL


PU bonding primer LH-260

Art. 260 / 1 / 1222


VFL
Vismara Farbladen



Properties	BRILANOL is a quick-drying and aromatic-free polyurethane bonding agent for economical renovation work in exterior and interior areas. BRILANOL produces extremely filling, elastic and well running coatings with excellent edge coverage, high opacity and insulating effect.
Field of application	As a bonding bridge for rational renovation work and as a filling and quickly sandable intermediate coat in exterior and interior areas.
Processing	Do not use below 8 °C.
System structure	1 x BRILANOL PU bonding primer LH-260 BRILANOL can be painted over with all commercial solvent-based and water-based alkyd and acrylic PU systems.
Drying	<ul style="list-style-type: none">◆ Dust dry after about 45 minutes◆ Firm to the touch after 2–3 hours◆ Sandable and recoatable after 4–6 hours (depending on the temperature, application quantity and humidity)
Dilution	SOLVENT D-1 or D-2 (aromatic-free) or alternatively with turpentine substitute or synthetic resin thinner and for spraying with universal thinner.
Extensiveness	6–8 m ² per kg per application, depending on the quantity applied and the condition of the substrate.
Application	Brush, roller or spray gun. In order to achieve optimum results, it is very important to use the right tools – see KNUCHEL GUIDE on brush and roller qualities. You will find this guide both in the catalogue and on the homepage as an attachment to this product.
Cleaning	Clean tools immediately after use with paint or cleaning thinner.
Delivery form	Standard colours in packages of 6 kg as well as 750ml and 375ml. Colour shades in the COLORAMA-Mix tinting system in packages of 5 and 2,5 litres as well as 1000ml and 500ml.
Shelf life	BRILANOL can be stored for at least 18 months in the well closed original container. Store in a cool and dry place.
Viscosity	Slightly thixotropic / 950–1000 mPa.s
Density	1,39 ± 0,05 g/cm ³
Solid content	73 ± 1 %
Binder base	Modified PU alkyd resins
Pigment base	Titanium dioxide, inorganic and organic coloured pigments.



Farben



Knuchel

High quality - Top finish

Gloss level	Matt
Colours	White and RAL 9010 off-white. The entire colour tone variety (Knuchel-Inspiration, RAL, Colortrend-E, NCS etc.) is available under the COLORAMA tinting system BRILA-MIX.
Test results	BRILANOL achieves very good adhesion in the proposed system build-up: cross-cut 0–1 (according to DIN EN ISO 2409).
Registration	CPID 602143
Classification	For information on chemical properties and hazards as well as regulations regarding transport, processing, storage, disposal, etc., please refer to the safety data sheet.
Note	<p>This leaflet is only intended as a reference and non-binding advice. The processing must be adapted to the corresponding conditions. In special cases we recommend to contact our technical service. However, all data and information on the suitability and application of the delivered products do not exempt the processor from carrying out his own tests and trials. A claim for damages for omitted, incomplete or incorrect information is excluded. This applies in particular also if thinners and other products are used in the paint build-up system.</p> <p>Furthermore, we refer to our General Terms and Conditions (GTC) on our homepage.</p>