Article Print o Versio	date:	06 26.12.2022 9.0	ELOTOP Roll-putz Typ RPRevision date: 10.12.2022ENIssue date: 10.12.2022Page 1 / 7					
SEC	SECTION 1: Identification of the substance/mixture and of the company/undertaking							
1.1.	Article No.	entifier (manufacturer/supp e/designation	blier) 06 ELOTOP Roll-putz Typ RP					
1.2.	Relevant ic	lentified uses of th	he substance or mixture and uses advised against					
		lentified uses terial to protecting :	surfaces					
1.3.	-	e supplier of the sa						
	supplier (ma	anufacturer/importe	-5000 Aarau www.farbladen.ch					
	Department laboratory N	responsible for info Manager	ormation:					
		petent person)	info@knuchel.ch					
1.4.		/ telephone number						
		telephone number						
SEC		zards identificat						
2.1.		ion of the substan						
		-	Regulation (EC) No 1272/2008 [CLP]					
		e is classified as fio	t hazardous according to regulation (EC) No 1272/2008 [CLP].					
2.2.	Label elem	ents						
	Labelling a	ccording to Regu	lation (EC) No. 1272/2008 [CLP]					
	Hazard pic	tograms						
	Hazard sta	tements not appl	licable					
	Precaution	ary statements						
	P101	If medic	cal advice is needed, have product container or label at hand.					
	P102 P103		ut of reach of children. arefully and follow all instructions.					
		nponents for labe	-					
		not appl						
	Supplemer EUH211	ntal hazard inform		1				
	EUH208		g! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or misi is 1,2-benzisothiazol-3(2H)-one; reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and					
	EUH210		/l-2H-isothiazol-3- one (3:1). May produce an allergic reaction.					
2.3.	Other haza	-	data sheet available on request.					
2.0.		ion available.						
SEC	TION 3: Co	mposition/inform	mation on ingredients					
3.2.	Mixtures							
5.2.	Description	n waterbo	orne acrylic dispersion paint, containing the following hazardous substances:					
	-		Regulation (EC) No 1272/2008 [CLP]					
	EC No.	REACH	I No.					
	CAS No. Index No.	Designa	ation weight-% cation: // Remark					
	238-878-4							
	14808-60-7		(SiO2) 40 - 60 nce with a common (EC) occupational exposure limit value.					
		Substal						

Article No.:	06	ELOTOP Roll-putz Typ RP	
Print date:	26.12.2022	Revision date: 10.12.2022	EN
Version:	9.0	Issue date: 10.12.2022	Page 2 / 7

Additional information

Full text of H-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal

Article No.:	06	ELOTOP Roll-putz Typ RP		
Print date:	26.12.2022	Revision date: 10.12.2022	EN	
Version:	9.0	Issue date: 10.12.2022	Page 3 / 7	

protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

Control parameters 8.1.

Occupational exposure limit values:

Quartz (SiO2) EC No. 238-878-4 / CAS No. 14808-60-7 WEL, TWA: 0.1 mg/m3

Remark: (Silica, crystalline; respirable fraction)

Additional information

TWA : Long-term occupational exposure limit value STEL : short-term occupational exposure limit value Ceiling : peak limitation

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

Personal protection equipment

Respiratory protection

Not applicable.

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material 0,4 mm Breakthrough time: 30 min

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin: Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear suitable protective clothing and gloves.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	Liquid refer to label
Odour:	characteristic
Odour threshold:	not applicable

Article Print d Versio	ate:	06 26.12.2022 9.0		II-putz Typ RP e: 10.12.2022 EN 0.12.2022 Page 4 / 7		
	Melting point/freezing point: Initial boiling point and boiling range:			not applicable 100 °C Source: PH EN 501166 GEFBEZ@tr4000		
	Flammability			not applicable		
		d upper explosion	limit:			
	Lower ex	xplosion limit: xplosion limit:		0.8 Vol-% not applicable		
	Flash poir	nt:		not applicable		
	Auto-ignit	ion temperature:		not applicable		
	Decompo	sition temperature):	not applicable		
	pH at 20 °	C:		not applicable		
	Cinematio	viscosity (40°C):		> 700 mm²/s		
	Viscosity			10500 - 11500 mPas		
	Solubility Water so	lubility at 20 °C:		partially soluble		
		coefficient: n-octa	nol/water:	see section 12		
	Vapour pr	ressure at 20 °C:		23 mbar Source: PHIENI501166 GEFBEZ@tr4000		
	Density a Density a	nd/or relative dens t 20 °C:	sity:	1.99 g/cm³		
	Relative v	apour density:		not applicable		
	particle cl	naracteristics:		not applicable		
9.2.	Other info	ormation				
	Solid con	tent:		83 weight-%		
	solvent co Organic Water:	ontent: solvents:		1 weight-% 16 weight-%		
SEC	TION 10: \$	Stability and rea	ctivity			
10.1.	Reactivity No informa	, ation available.				
10.2.	Chemical stability Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.					
10.3.		y of hazardous rea		nd strong oxidizing agents to avoid exothermic reactions.		
10.4.	 Conditions to avoid Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures. 					
10.5.	Incompatible materials					
10.6.	 Hazardous decomposition products Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides. 					
SEC	TION 11: 1	Foxicological inf	ormation			
11.1.	Informatio	on on hazard class	ses as defined i	in Regulation (EC) No 1272/2008		
	Acute tox Based on	icity available data, the	classification crit	teria are not met.		

Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Article No.:	06	ELOTOP Roll-putz Typ RP
Print date:	26.12.2022	Revision date: 10.12.2022
Version:	9.0	Issue date: 10.12.2022

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

EN Page 5 / 7

Overall assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

- 12.4. **Mobility in soil** Toxicological data are not available.
- 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

- 12.6. Endocrine disrupting properties No information available.
- 12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 08 01 11

rticle No.: Print date: Version:	06 26.12.2022 9.0	ELOTOP Roll-putz Typ RP Revision date: 10.12.2022 Issue date: 10.12.2022	EN Page 6 / 7			
Reco	opriate disposal / Pac mmendation contaminated packages	kage may be recycled. Vessels not properly	emptied are special waste.			
SECTION	14: Transport inform	nation				
ICAO	/IATA).	sified as dangerous according to is see of this transport regulation.	nternational transport regulations (ADR/RID, IMDG			
	umber or ID number					
		not applicable				
14.2. UN p	roper shipping name					
14.3. Tran s	sport hazard class(es)	not applicable				
14.4. Pack	ina aroup					
		not applicable				
14.5. Envi i	ronmental hazards					
Land	transport (ADR/RID)	not applicable				
Marin	e pollutant	not applicable				
4.6. Spec	ial precautions for us	er				
case	Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage. Advices on safe handling: see parts 6 - 8					
Furth	er information					
Land	transport (ADR/RID)					
	el restriction code	-				
Sea t	ransport (IMDG)					
EmS-		not applicable				
-		according to IMO instruments				
	ansport as bulk accordi	•				
SECTION	15: Regulatory infor	mation				
15.1. Safet	y, health and environ	nental regulations/legislation specifi	c for the substance or mixture			
EU le	EU legislation					
	Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC-value (in g/L): 24					
Natio	National regulations					
Rest	Restrictions of occupation					
	Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if					
Obse	applicable. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.					
15.2. Chen	nical Safety Assessme		ot carried out.			
	16: Other information					
	to. Other informatic	/11				

Appreviations and a	Abbieviations and actorigins				
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road				
OEL	Occupational Exposure Limit Value				
BLV	Biological Limit Value				
CAS	Chemical Abstracts Service				
CLP	Classification, Labelling and Packaging				
CMR	Carcinogenic, Mutagenic and Reprotoxic				

Article No.: Print date: Version:	06 26.12.2022 9.0	ELOTOP Roll-putz Typ RP Revision date: 10.12.2022 Issue date: 10.12.2022	EN Page 7 / 7			
DIN	Gern	nan Institute for Standardization / Ge	erman industrial standard			
DNEL	Deriv	ed No-Effect Level				
EAKV	Euro	European Waste Catalogue Directive				
EC	Effec	Effective Concentration				
EC	Euro	pean Community				
EN		pean Standard				
IATA-DGF		national Air Transport Association –				
IBC Code	e Inter	national Code for the Construction a	nd Equipment of Ships carrying Danger	ous Chemicals in Bulk		
ICAO-TI	Inter	national Civil Aviation Organization	Technical Instructions for the Safe Tra	ansport of Dangerous		
		ds by Air				
IMDG Co		national Maritime Code for Dangerou				
ISO		national Organization for Standardiz	ation			
LC		al Concentration				
LD		al Dose				
MARPOL			vention for the Prevention of Pollution fr	om Ships		
OECD	-	nisation for Economic Cooperation a	and Development			
PBT	•	stent, bioaccumulative, toxic				
PNEC		icted No Effect Concentration				
REACH	•	stration, Evaluation, Authorisation a				
RID	•	5	Carriage of Dangerous Goods by Rail			
UN		ed Nations				
VOC		tile Organic Compounds				
vPvB	very	persistent and very bioaccumulative				

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.