# according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2015/830

GEIGER Stop gegen Schimmel-, Revision date: 24.03.2017 1410 Article No.:

Print date: 02.05.2017 Issue date: 17.03.2017 Version:

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# product identifiers

Article No. (manufacturer/supplier) 1410

Identification of the substance or mixture GEIGER Stop gegen Schimmel-.

Moos-und Algenbefall

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Details of the supplier of the safety data sheet <u>1.3</u>.

# supplier (manufacturer/importer/downstream user/distributor)

Vismara Unternehmungen CH-5000 Aarau www.farbladen.ch

#### Dept. responsible for information:

laboratory Manager

E-mail (competent person) info@knuchel.ch

1.4. Emergency telephone number

Emergency telephone number 145 (+41 (0)44 251 51 51)

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Skin Irrit. 2 / H315 skin corrosion/irritation Causes skin irritation. Eye Dam. 1 / H318 Serious eye damage/eye irritation Causes serious eye damage. Aquatic Acute 1 / H400 Hazardous to the aquatic environment Very toxic to aquatic organisms.

Aquatic Chronic 2 / H411 Hazardous to the aquatic environment Toxic to aquatic life with long lasting effects.

2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

#### Hazard pictograms





# Danger

### **Hazard statements**

H315 Causes skin irritation. H318 Causes serious eye damage. H400 Very toxic to aquatic organisms.

H411 Toxic to aquatic life with long lasting effects.

#### **Precautionary statements**

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician. P332 + P313 If skin irritation occurs: Get medical advice/attention. P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501 Dispose of contents/container to industrial incineration plant.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of the reach of children.

P103 Read label before use.

contains:

sodium hypochlorite, solution Cl active

# Supplemental Hazard information (EU)

not applicable

# according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2015/830

GEIGER Stop gegen Schimmel-, Revision date: 24.03.2017 1410 Article No.:

Print date: 02.05.2017 Issue date: 17.03.2017 Page 2 / 7 Version: 1.21

#### 2.3. Other hazards

Caution! Do not use together with other products, dangerous gases (chlorine) may be released. May be corrosive to metals

# **SECTION 3: Composition / information on ingredients**

#### 3.2. Mixtures

# Product description / chemical characterization

#### Description

## **Hazardous ingredients**

Classification according to Regulation (EC) No 1272/2008 [CLP]

EC No.	REACH No.	
CAS No.	Chemical name	Wt %
INDEX No.	classification: // Remark	
231-668-3	01-2119488154-34	
7681-52-9	sodium hypochlorite, solution CI active	2,5 - 5
017-011-00-1	Skin Corr. 1B H314 / Aquatic Acute 1 H400 (M = 10) / Aquatic Chronic 2	
	H411	

### **Additional information**

Full text of classification: see section 16

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

# In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

## Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

### Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

# 4.3. Indication of any immediate medical attention and special treatment needed

## **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media:

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

# Extinguishing media which must not be used for safety reasons:

strong water jet

### 5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

#### Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

## **SECTION 6: Accidental release measures**

# Personal precautions, protective equipment and emergency procedures

# according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2015/830

1410 Article No.:

GEIGER Stop gegen Schimmel-, Revision date: 24.03.2017 Print date: 02.05.2017 Issue date: 17.03.2017 Version:

Ventilate affected area. Do not breathe vapours. See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

## Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

#### Reference to other sections

Observe protective provisions (see chapter 7 and 8).

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

# Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

#### Conditions for safe storage, including any incompatibilities 72

### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRBS 2153)".

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

#### Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

# Specific end use(s)

Observe technical data sheet. Observe instructions for use.

# SECTION 8: Exposure controls/personal protection

The professional use of such preparation by young people is restricted or prohibited. (see Fig. provisions in Chap. 15)

#### **Control parameters** 8.1.

# Occupational exposure limit values

not applicable

### 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

#### Occupational exposure controls

# Respiratory protection

For spray application, a respirator should be worn with a protection factor of at least 50. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

#### Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0.4 mm; Breakthrough time (maximum wearing time) > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles DIN EN 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

# Eye protection

Wear closely fitting protective glasses in case of splashes.

# according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830

GEIGER Stop gegen Schimmel-, Revision date: 24.03.2017 1410 Article No.:

02.05.2017 Print date: Issue date: 17.03.2017 Page 4 / 7 Version: 1.21

#### Protective clothing

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

#### **Protective measures**

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Appearance:

Physical state: liquid Colour: refer to label Odour: characteristic **Odour threshold:** not applicable pH at 20 °C: not applicable Melting point/freezing point: not applicable 100 °C

Initial boiling point and boiling range: Source: Wasser

Flash point: Not applicable. **Evaporation rate:** not applicable

Flammability (solid, gas):

burning time (s): not applicable

Upper/lower flammability or explosive limits:

Lower explosion limit: not applicable **Upper explosion limit:** not applicable Vapour pressure at 20 °C: 23 mbar

Source: Wasser

not applicable

Vapour density: Relative density:

Density at 20 °C: 1,03 g/cm<sup>3</sup>

Solubility(ies):

Water solubility (g/L) at 20 °C: miscible Partition coefficient: n-octanol/water: see section 12

Auto-ignition temperature: not applicable **Decomposition temperature:** not applicable Viscosity at 20 °C: 10 s 4 mm Method: DIN 53211

not applicable **Explosive properties:** Oxidising properties: not applicable

9.2. Other information

Solid content (%): 4 Wt %

solvent content:

Organic solvents: 0 Wt % Water: 96 Wt %

Solvent separation test (%): < 3 Wt % (ADR/RID)

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

# 10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to

10.3. Possibility of hazardous reactions

# according to Regulation (EC) No. 1907/2006 (REACH)

# according to Regulation (EU) 2015/830

GEIGER Stop gegen Schimmel-, Revision date: 24.03.2017 1410 Article No.:

02.05.2017 Print date: Issue date: 17.03.2017 Version:

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

#### 10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

## 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

# **SECTION 11: Toxicological information**

Classification according to Regulation (EC) No 1272/2008 [CLP]

No data on preparation itself available.

#### 11.1. Information on toxicological effects

#### Acute toxicity

Toxicological data are not available.

## skin corrosion/irritation; Serious eye damage/eye irritation

Toxicological data are not available.

#### Respiratory or skin sensitisation

Toxicological data are not available.

### Specific target organ toxicity

Toxicological data are not available.

#### **Aspiration hazard**

Toxicological data are not available.

# Practical experience/human evidence

Other observations:

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

#### Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

# Remark

There is no information available on the preparation itself.

# **SECTION 12: Ecological information**

# overall evaluation

Classification according to Regulation (EC) No 1272/2008 [CLP]

There is no information available on the preparation itself.

Do not allow to enter into surface water or drains.

# 12.1. Toxicity

No information available.

#### Long-term Ecotoxicity

Toxicological data are not available.

# 12.2. Persistence and degradability

Toxicological data are not available.

## 12.3. Bioaccumulative potential

Toxicological data are not available.

# Bioconcentration factor (BCF)

Toxicological data are not available.

### 12.4. Mobility in soil

Toxicological data are not available.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Other adverse effects

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2015/830

GEIGER Stop gegen Schimmel-, Revision date: 24.03.2017 1410 Article No.:

02.05.2017 Print date: ΕN Issue date: 17.03.2017 Page 6 / 7 Version:

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Appropriate disposal / Product

#### Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

# List of proposed waste codes/waste designations in accordance with EWC

080111 waste paint and varnish containing organic solvents or

other dangerous substances

packaging

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

# **SECTION 14: Transport information**

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

14.1. UN number

UN 3082

14.2. UN proper shipping name

Land transport (ADR/RID): Environmentally hazardous substance, liquid, n.o.s.

(HYPOCHLORITE SOLUTION)

Sea transport (IMDG): ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(HYPOCHLORITE SOLUTION)

Air transport (ICAO-TI / IATA-DGR): Environmentally hazardous substance, liquid, n.o.s.

(HYPOCHLORITE SOLUTION)

14.3. Transport hazard class(es)

9

14.4. Packing group

Ш

14.5. Environmental hazards

Land transport (ADR/RID) **UMWELTGEFÄHRDEND** 

Marine pollutant p / HYPOCHLORITE SOLUTION

#### 14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

# **Further information**

# Land transport (ADR/RID)

Ε tunnel restriction code

in packages <= 5 litres Kein Gut der Klasse 9

Sea transport (IMDG)

FmS-No. F-A. S-F

in packages <= 5 litres not restricted 2.10.2.7

Air transport (ICAO-TI / IATA-DGR)

in packages <= 5 litres Not restricted

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **EU** legislation

# according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830

Article No .: 1410

GEIGER Stop gegen Schimmel-, Revision date: 24.03.2017 Issue date: 17.03.2017 02.05.2017 Print date: Page 7 / 7 Version:

#### Directive 2010/75/EU on industrial emissions

VOC-value (in g/L): 0

### **National regulations**

#### **Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Youth Employment Protection Regulation (ArGV 5, SR 822115)

# 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

## **SECTION 16: Other information**

#### Full text of classification in section 3:

Skin Corr. 1B / H314 skin corrosion/irritation Causes severe skin burns and eye damage.

Aquatic Acute 1 / H400 Hazardous to the aquatic environment Very toxic to aquatic organisms.

Toxic to aquatic life with long lasting effects. Aquatic Chronic 2 / H411 Hazardous to the aquatic environment

# Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

#### **Further information**

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1.It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.