Article Print o Versio	late: 19.12.20	BLENDA-POX 2K Epoxy-Allgrund 19 Revision date: 14.12.2019 EN Issue date: 14.12.2019 Page 1 / 7
SEC	TION 1: Identification	on of the substance/mixture and of the company/undertaking
1.1.	Product identifier	
	Article No. (manufact Trade name/designat	
1.2.	Relevant identified u	uses of the substance or mixture and uses advised against
<u>1.3</u> .	Details of the supplier	of the safety data sheet
		r/importer/downstream user/distributor)
	Vismara Unternehmu	ngen CH-5000 Aarau www.farbladen.ch
	Dept. responsible fo	r information:
	E-mail (competent pe	rson) info@knuchel.ch
1.4.	Emergency telephor Emergency telephone	
SEC	TION 2: Hazards ide	entification
2.1.	Classification of the	substance or mixture
	Classification accor	ding to Regulation (EC) No 1272/2008 [CLP]
		ed as hazardous according to regulation (EC) No 1272/2008 [CLP].
	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319	Skin corrosion/irritationCauses skin irritation.Serious eye damage/eye irritationCauses serious eye irritation.
2.2.	Label elements	
	Labelling according	to Regulation (EC) No. 1272/2008 [CLP]
	Hazard pictograms	
	Warni	ng
	Hazard statements	
	H315 H319	Causes skin irritation.
	Precautionary state	Causes serious eye irritation.
	P101	If medical advice is needed, have product container or label at hand.
	P102	Keep out of reach of children.
	P103 P264	Read label before use. Wash hands thoroughly after handling.
	P280	Wear protective gloves and eye/face protection.
	P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P332 + P313	If skin irritation occurs: Get medical advice/attention.
	P337 + P313 P362 + P364	If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
	Hazard components	-
	Supplemental Hazar EUH208	
2.3.	Other hazards	
	No information availa	ble.

SECTION 3: Composition / information on ingredients

3.2. Mixtures

le No.: date: ion:	532 19.12.2019 2.7	BLENDA-POX 2K Epoxy-Allgrund Revision date: 14.12.2019 Issue date: 14.12.2019	EN Page 2 / 7	
Description	on water	borne polyamine coating, containing the fo	bllowing hazardous substances:	
Classifica	ation according to	Regulation (EC) No 1272/2008 [CLP]		
EC No. CAS No. INDEX No	Desig	CH No. jnation ification: // Remark		Wt %
1219458-(omonocyclic alkylated mixtures of poly-aza Corr. 1B H314 / Eye Dam. 1 H318 / Aq		2.5 - 5
216-032-5	5 01-21	19480150-50		
1477-55-0	,	ylenediamine		< 0.5
		Tox. 4 H302 / Acute Tox. 3 H331 / Sk 317 / Aquatic Chronic 3 H412	in Corr. 1B H314 / Skin Sens.	

Additional information

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

Article No.:	532	BLENDA-POX 2K Epoxy-Allgrund		
Print date:	19.12.2019	Revision date: 14.12.2019	EN	
Version:	2.7	Issue date: 14.12.2019	Page 3 / 7	

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRBS 2153)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values:

not applicable

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Personal protection equipment

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time (maximum wearing time) > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Article No.:	532	BLENDA-POX 2K Epoxy-Allgrund	
Print date:	19.12.2019	Revision date: 14.12.2019	EN
Version:	2.7	Issue date: 14.12.2019	Page 4 / 7

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1.	Information on basic physical and chemical p	properties
	Appearance: Physical state: Colour:	Liquid refer to label
	Odour:	characteristic
	Odour threshold:	not applicable
	pH at 20 °C:	not applicable
	Melting point/freezing point:	not applicable
	Initial boiling point and boiling range:	100 °C
	initial boining point and boining range.	Source: Wasser
	Flash point:	not applicable
	Evaporation rate:	not applicable
	flammability	
	Burning time (s):	not applicable
	Upper/lower flammability or explosive limits:	
	Lower explosion limit: Upper explosion limit:	not applicable not applicable
	Vapour pressure at 20 °C:	23 mbar
	vapour pressure at 20°0.	Source: Wasser
	Vapour density:	not applicable
	Relative density:	
	Density at 20 °C:	1.36 g/cm³
	Solubility(ies):	
	Water solubility (g/L) at 20 °C:	partially soluble
	Partition coefficient: n-octanol/water:	see section 12
	Auto-ignition temperature:	not applicable
	Decomposition temperature:	not applicable
	Viscosity at °C:	2050 - 2350 mPas
	Explosive properties:	not applicable
	Oxidising properties:	not applicable
9.2.	Other information	
	Solid content (%):	53 Wt %
	solvent content:	1 Wt %
	Organic solvents: Water:	43 Wt %

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

not applicable

Article No.:	532	BLENDA-POX 2K Epoxy-Allgrund		
Print date:	19.12.2019	Revision date: 14.12.2019	EN	
Version:	2.7	Issue date: 14.12.2019	Page 5 / 7	

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information

Classification according to Regulation (EC) No 1272/2008 [CLP]

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation; Serious eye damage/eye irritation

Causes skin irritation.

Causes serious eye irritation.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste

Article Print c Versic	late:	532 19.12.2019 2.7	BLENDA-POX 2K Epoxy-Allgrund Revision date: 14.12.2019 Issue date: 14.12.2019	EN Page 6 / 7		
	disposal a	according to directive	e 2008/98/EC, covering waste and dangerous	s waste.		
	List of proposed waste codes/waste designations in accordance with EWC 080111* Waste paint and varnish containing organic solvents or other dangerous substances *Hazardous waste according to Directive 2008/98/EC (waste framework directive).					
Appropriate disposal / Package Recommendation Non-contaminated packages may be recycled. Vessels not properly emptied are spec			ed are special waste			
SEC		Transport inform	· · · · · · · · ·			
	This mix ICAO/IAT	ture is not classi A).		ational transport regulations (ADR/RID, IMDG,		
14.1.	UN numb	-				
			not applicable			
14.2.	UN prope	er shipping name				
14.3.	Transpor	t hazard class(es)				
			not applicable			
14.4.	Packing	group				
1 A E	Environn	nental hazards	not applicable			
14.5.			not applicable			
	Marine po	sport (ADR/RID)	not applicable not applicable			
146	-					
14.0.	.6. Special precautions for user Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do case of an accident or leakage. Advices on safe handling: see parts 6 - 8			ersons transporting the product know what to do in		
	Further in	nformation				
	Land trar	nsport (ADR/RID)				
	tunnel res	striction code	-			
	Sea trans	sport (IMDG)				
	EmS-No.		not applicable			
14.7.	-	-	to Annex II of Marpol and the IBC Code			
	not applic					
SEC	TION 15:	Regulatory inform	nation			
15.1.	Safety, h	ealth and environm	nental regulations/legislation specific for t	he substance or mixture		
	EU legislation					
	Directive 2010/75/EU on industrial emissions VOC-value (in g/L): 48					
		National regulations				
	Restriction	ons of occupation employment restriction	ons under the Maternity Protection Directive or yment for juvenils according to the 'juvenile w	(92/85/EEC) for expectant or nursing mothers. vork protection guideline' (94/33/EC).		
	Other reg	gulations, restrictio	ons and prohibition regulations			

15.2. Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

EC No.	Designation	REACH No.
CAS No.		
216-032-5	M-Xylylenediamine	01-2119480150-50
1477-55-0		

SECTION 16: Other information

Article No.: Print date: Version:	532 19.12.2019 2.7	BLENDA-POX 2K Epoxy-Allgrund Revision date: 14.12.2019 Issue date: 14.12.2019	EN Page 7 / 7
Full tex	t of classification i	n section 3:	
Skin Co	rr. 1B / H314	Skin corrosion/irritation	Causes severe skin burns and eye damage.
Eye Dar	n. 1 / H318	Serious eye damage/eye irritation	Causes serious eye damage.
Aquatic	Chronic 3 / H412	Hazardous to the aquatic environment	Harmful to aquatic life with long lasting effects.
Acute To	ox. 4 / H302	Acute toxicity (oral)	Harmful if swallowed.
Acute To	ox. 3 / H331	Acute toxicity (inhalative)	Toxic if inhaled.
Skin Sei	ns. 1B / H317	Respiratory or skin sensitisation	May cause an allergic skin reaction.
Classifi	cation procedure		
Classific	cation for mixtures ar	nd used evaluation method according to regu	ulation (EC) No 1272/2008 [CLP]
Skin Irrit	t. 2	Skin corrosion/irritation	Calculation method.
Eye Irrit.	. 2	Serious eye damage/eye irritation	Calculation method.
Abbrevi	iations and acrony	ns	
ADR	Europ	bean Agreement concerning the International	I Carriage of Dangerous Goods by Road
OEL	Occu	pational Exposure Limit Value	
BLV	Biolog	gical Limit Value	
CAS	Cherr	nical Abstracts Service	
CLP		ification, Labelling and Packaging	
CMR		nogenic, Mutagenic and Reprotoxic	
DIN		an Institute for Standardization / German ind	lustrial standard
DNEL		ed No-Effect Level	
EAKV		ean Waste Catalogue Directive	
EC		tive Concentration	
EC		bean Community	
EN		bean Standard	
IATA-DO		ational Air Transport Association – Dangero	
IBC Coc			ment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI			al Instructions for the Safe Transport of Dangerous
IMDG C		s by Air ational Maritime Code for Dangerous Goods	
INDG C		ational Organization for Standardization	
LC		I Concentration	
LD		I Dose	
MARPO		me Pollution: The International Convention for	or the Prevention of Pollution from Shins
OECD		nisation for Economic Cooperation and Deve	
PBT		stent, bioaccumulative, toxic	
PNEC		cted No Effect Concentration	
REACH		tration, Evaluation, Authorisation and Restric	ction of Chemicals
RID		lations concerning the International Carriage	
UN	-	d Nations	
VOC	Volati	le Organic Compounds	
vPvB	very p	persistent and very bioaccumulative	
Further	information	•	

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.