Article Print o Versio	date:	537 27.12.2022 3.0	BLENDA-FLOR 2 Revision date: 10. Issue date: 10.12.		EN Page 1 / 7				
SEC	SECTION 1: Identification of the substance/mixture and of the company/undertaking								
1.1.	1. Product identifier								
		(manufacturer/su e/designation	oplier)	537 BLENDA-FLOR 2K-PU Bo MV: 7/3 mit 944	odenfarbe WV-537				
1.2.	Relevant i	dentified uses of	the substance or mi	xture and uses advised ag	ainst				
1.3.			ne safety data sheet						
	supplier (manufacturer/importer/downstream user/distributor) Vismara Unternehmungen CH-5000 Aarau www.farbladen.ch								
	Department responsible for information: laboratory Manager E-mail (competent person)								
1.4.		y telephone num v telephone numbe		145 (+41 (0)44 251 51 51	)				
SEC	TION 2: Ha	zards identifica	ation						
2.1.	Classificat	tion of the substa	ance or mixture						
	Classificat	tion according to	Regulation (EC) No	1272/2008 [CLP]					
	The mixture	e is classified as r	not hazardous accordir	ng to regulation (EC) No 127	2/2008 [CLP].				
2.2.	Label elen	nents							
	Labelling according to Regulation (EC) No. 1272/2008 [CLP]								
	Hazard pictograms								
	Hazard sta		plicable						
		nary statements							
	P101 P102		lical advice is needed, out of reach of childrer	have product container or la	abel at hand.				
	P102		carefully and follow all						
	Hazard co	<b>mponents for lat</b> not ap	<b>belling</b>						
	Suppleme	ntal hazard infor	mation						
	EUH208			-3(2H)-one; reaction mass o		hiazol-3-one and			
	EUH210		/ data sheet available (	e (3:1). May produce an alle on request.	ergic reaction.				
2.3.	Other haza	-		<b>1</b>					
	No informa	tion available.							
SEC	TION 3: Co	omposition/info	ormation on ingredi	ents					
3.2.	Mixtures								
	Descriptio	n water	borne acryl/PUR resin,	containing the following haz	zardous substances:				
	Classificat EC No.		Regulation (EC) No	1272/2008 [CLP]					
	CAS No.		nation			weight-%			
	Index No.		ification: // Remark						
	238-878-4 14808-60-7		: (SiO2)			1 - 5			
	1-000-00-1			EC) occupational exposure	limit value.	1-0			
				· · · · ·					

Additional information

Full text of H-phrases: see section 16.

Article No.:	537	BLENDA-FLOR 2K-PU Bodenfarbe WV-537	
Print date:	27.12.2022	Revision date: 10.12.2022	EN
Version:	3.0	Issue date: 10.12.2022	Page 2 / 7

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

# 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

# SECTION 5: Firefighting measures

## 5.1. Extinguishing media

## Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

# Unsuitable extinguishing media

strong water jet

# 5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

## 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

## **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

# 6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Article No.:	537	BLENDA-FLOR 2K-PU Bodenfarbe WV-537	
Print date:	27.12.2022	Revision date: 10.12.2022	EN
Version:	3.0	Issue date: 10.12.2022	Page 3 / 7

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

# Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

## Further information on storage conditions

Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

# Occupational exposure limit values:

Quarz (SiO2) EC No. 238-878-4 / CAS No. 14808-60-7 WEL, TWA: 0.1 mg/m3 Remark: (Silica,crystalline; respirable fraction)

# Additional information

TWA : Long-term occupational exposure limit value STEL : short-term occupational exposure limit value Ceiling : peak limitation

## 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

# Personal protection equipment

#### **Respiratory protection**

Not applicable.

#### Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material 0,4 mm Breakthrough time: 30 min

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin: Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

# Eye/face protection

Wear closely fitting protective glasses in case of splashes.

#### Body protection

Wear suitable protective clothing and gloves.

#### Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

#### Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Colour:	Liquid refer to label
Odour:	characteristic
Odour threshold:	not applicable
Melting point/freezing point:	not applicable

ersio	ate: n:		date: 10.12.2022     EN       te: 10.12.2022     Page 4 / 7		
	Initial bo	iling point and boiling range:	<b>100 °C</b> Source: PH EN 501166 GEFBEZ@tr4000		
	Flammal	bility	Combustible liquid.		
		nd upper explosion limit:			
		explosion limit:	0.8 Vol-%		
		explosion limit:	not applicable		
	Flash point:		not applicable Method: DIN 53213		
	Auto-ign	ition temperature:	<b>393 °C</b> Source: Isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol		
	-	osition temperature:	not applicable		
	pH at 20		not applicable		
	Cinemat	ic viscosity (40°C):	< 80 mm²/s		
	Viscosity	y at 20 °C:	<b>20 s 4 mm</b> Method: DIN 53211		
	Solubilit		novtially actuals		
		olubility at 20 °C: coefficient: n-octanol/water:	partially soluble see section 12		
		pressure at 20 °C:	23 mbar		
	vapour p		Source: PH EN 501166 GEFBEZ@tr4000		
		and/or relative density: at 20 °C:	1.25 g/cm³		
	Relative	vapour density:	not applicable		
	particle	characteristics:	not applicable		
9.2.	Other inf	formation	*		
	Solid co	ntent:	49 weight-%		
	solvent o Organio Water:	content: c solvents:	3 weight-% 48 weight-%		
SEC	TION 10:	Stability and reactivity			
10.1.	Reactivit No inform	t <b>y</b> nation available.			
10.2.			regulations for storage and handling. Further information on correct storage: refer to		
10.3.		i <b>ty of hazardous reactions</b> ay from strong acids, strong base	es and strong oxidizing agents to avoid exothermic reactions.		
10.4.	<b>Conditions to avoid</b> Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.				
10.5.	Incompa not applie	<b>tible materials</b> cable			
10.6.	Hazardous decomposition products Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.				

# Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation; Serious eye damage/eye irritation

Article No.:	537	BLENDA-FLOR 2K-PU Bodenfarbe WV-537	
Print date:	27.12.2022	Revision date: 10.12.2022	EN
Version:	3.0	Issue date: 10.12.2022	Page 5 / 7

Based on available data, the classification criteria are not met.

## Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

# STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

# Aspiration hazard

Based on available data, the classification criteria are not met.

# Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

# **Overall assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

## 11.2. Information on other hazards

# **Endocrine disrupting properties**

No information available.

# **SECTION 12: Ecological information**

Classification according to Regulation (EC) No 1272/2008 [CLP] Do not allow to enter into surface water or drains.

## 12.1. Toxicity

Based on available data, the classification criteria are not met.

## Long-term Ecotoxicity

Toxicological data are not available.

# 12.2. **Persistence and degradability** Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

# **Bioconcentration factor (BCF)**

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Endocrine disrupting properties

No information available. 12.7. **Other adverse effects** 

No information available.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

# Appropriate disposal / Product Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

# List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 08 01 11

/ersio	No.: ate: n:	537 27.12.2022 3.0	BLENDA-FLOR 2K-PU Bodenfarbe WV-537 Revision date: 10.12.2022 EN Issue date: 10.12.2022 Page 6 / 7			
	Recomme		kage s may be recycled. Vessels not properly emptied are special waste.			
SECT	FION 14: T	ransport inform	nation			
	ICAO/IATA	A).	sified as dangerous according to international transport regulations (ADR/RID, IM se of this transport regulation.			
14 1	-	er or ID number				
			not applicable			
4.2.	UN proper	r shipping name				
14.3.	Transport	hazard class(es)				
	Destring		not applicable			
14.4.	Packing g	roup	not applicable			
4.5.	Environm	ental hazards				
		port (ADR/RID)	not applicable			
	Marine pol		not applicable			
4.6.		ecautions for use				
	Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage. Advices on safe handling: see parts 6 - 8					
	Further in	formation				
	I and trans	sport (ADR/RID)				
			<u> </u>			
	Tunnel res					
	Tunnel res					
	Sea transp	port (IMDG)	not applicable			
14 7	<b>Sea trans</b> EmS-No.	port (IMDG)	not applicable			
14.7.	Sea transp EmS-No. Maritime t	port (IMDG) ransport in bulk a	according to IMO instruments			
	Sea transp EmS-No. Maritime t No transpo	oort (IMDG) ransport in bulk a ort as bulk accordin	according to IMO instruments ng IBC - Code.			
SECT	Sea transp EmS-No. Maritime t No transpo FION 15: F	oort (IMDG) ransport in bulk a ort as bulk accordin Regulatory infor	according to IMO instruments ng IBC - Code. rmation			
SECT	Sea transp EmS-No. Maritime t No transpo FION 15: F Safety, he	port (IMDG) ransport in bulk a ort as bulk accordin Regulatory informalth and environm	according to IMO instruments ng IBC - Code.			
SECT	Sea transp EmS-No. Maritime t No transpo FION 15: F Safety, he EU legisla	port (IMDG) ransport in bulk a ort as bulk accordin Regulatory infor alth and environn tion	according to IMO instruments ng IBC - Code. rmation mental regulations/legislation specific for the substance or mixture			
SECT	Sea transp EmS-No. Maritime t No transpo FION 15: F Safety, he EU legisla Directive 2	port (IMDG) ransport in bulk a ort as bulk accordin Regulatory inform alth and environn ition 2010/75/EU on ind	according to IMO instruments ng IBC - Code. rmation			
SECT	Sea transp EmS-No. Maritime t No transpo TION 15: F Safety, he EU legisla Directive 2 VOC-value	port (IMDG) ransport in bulk a prt as bulk accordin Regulatory inform alth and environm tition 2010/75/EU on ind e (in g/L): 35	according to IMO instruments ng IBC - Code. rmation mental regulations/legislation specific for the substance or mixture			
SECT	Sea transp EmS-No. Maritime t No transpo TION 15: F Safety, he EU legisla Directive 2 VOC-value National re	port (IMDG) ransport in bulk a ort as bulk accordin Regulatory inform alth and environn tion 2010/75/EU on ind e (in g/L): 35 egulations	according to IMO instruments ng IBC - Code. rmation mental regulations/legislation specific for the substance or mixture dustrial emissions [Industrial Emissions Directive]			
SECT	Sea transp EmS-No. Maritime t No transpo FION 15: F Safety, he EU legisla Directive 2 VOC-value National re	port (IMDG) ransport in bulk a ort as bulk accordin Regulatory inform alth and environn ttion 2010/75/EU on ind e (in g/L): 35 egulations ns of occupation	according to IMO instruments ng IBC - Code. rmation mental regulations/legislation specific for the substance or mixture dustrial emissions [Industrial Emissions Directive]			
SECT	Sea transp EmS-No. Maritime t No transport <b>FION 15: F</b> Safety, here <b>EU legisla</b> Directive 2 VOC-value National re Restriction Observe e applicable.	port (IMDG) ransport in bulk a ort as bulk accordin Regulatory inform alth and environm tion 2010/75/EU on ind e (in g/L): 35 egulations ns of occupation employment restrict	according to IMO instruments ng IBC - Code. rmation mental regulations/legislation specific for the substance or mixture dustrial emissions [Industrial Emissions Directive] ctions under the Maternity Protection Directive 92/85/EEC or stricter national regulation			
SECT	Sea transp EmS-No. Maritime t No transport <b>FION 15: F</b> Safety, he EU legisla Directive 2 VOC-value National re Restriction Observe e applicable. Observe re	port (IMDG) ransport in bulk a ort as bulk accordin Regulatory inform alth and environm tion 2010/75/EU on ind e (in g/L): 35 egulations ns of occupation employment restrict	according to IMO instruments ng IBC - Code.  rmation mental regulations/legislation specific for the substance or mixture dustrial emissions [Industrial Emissions Directive]  ctions under the Maternity Protection Directive 92/85/EEC or stricter national regulation loyment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or str			
<b>SEC1</b> 15.1.	Sea transp EmS-No. Maritime t No transport <b>FION 15: F</b> Safety, here <b>EU legisla</b> <b>Directive 2</b> VOC-value <b>National re</b> Observe re national re	port (IMDG) ransport in bulk a ort as bulk accordin Regulatory information alth and environmation 2010/75/EU on ind e (in g/L): 35 egulations ns of occupation employment restrictions to employed gulations, if application	according to IMO instruments ng IBC - Code.			
<b>SEC1</b> 15.1.	Sea transp EmS-No. Maritime t No transport TION 15: F Safety, here EU legisla Directive 2 VOC-value National re Observe re national re Chemical	port (IMDG) ransport in bulk a ort as bulk accordin Regulatory information alth and environnation 2010/75/EU on ind (in g/L): 35 egulations ns of occupation employment restrictions to employ gulations, if applications Safety Assessme	according to IMO instruments ng IBC - Code.			

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
OEL	Occupational Exposure Limit Value
BLV	Biological Limit Value
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic and Reprotoxic

Article No.: Print date: Version:	537 27.12.2022 3.0	BLENDA-FLOR 2K-PU Bodenfarb Revision date: 10.12.2022 Issue date: 10.12.2022	e WV-537 EN Page 7 / 7	
DIN	Germ	an Institute for Standardization / Germ	an industrial standard	
DNEL	Derive	ed No-Effect Level		
EAKV	Europ	bean Waste Catalogue Directive		
EC	Effect	tive Concentration		
EC	Europ	bean Community		
EN	Europ	bean Standard		
IATA-DGR		ational Air Transport Association – Da		
IBC Code		ational Code for the Construction and		
ICAO-TI		ational Civil Aviation Organization Te	chnical Instructions for the Safe	Transport of Dangerous
		s by Air		
IMDG Code		ational Maritime Code for Dangerous		
ISO		ational Organization for Standardization	n	
LC		I Concentration		
LD		l Dose		
MARPOL		me Pollution: The International Conver		n from Ships
OECD	•	nisation for Economic Cooperation and	Development	
PBT		stent, bioaccumulative, toxic		
PNEC		cted No Effect Concentration		
REACH	-	tration, Evaluation, Authorisation and		
RID	•	lations concerning the International Ca	rriage of Dangerous Goods by Rai	il
UN	••••••	d Nations		
VOC		le Organic Compounds		
vPvB	very p	persistent and very bioaccumulative		

# **Further information**

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

\* Data changed compared with the previous version