Article Print c Versic	date:	572 19.12.2019 9.8	DUROPRIM Objekt-DispersionRevision date: 14.12.2019ENIssue date: 14.12.2019Page 1 / 7		
SEC	TION 1: Ide	ntification of the	e substance/mixture and of the company/undertaking		
1.1.	Product ide	ntifier			
		manufacturer/supp /designation	olier) 572 DUROPRIM Objekt-Dispersion Airless		
1.2.	Relevant id	entified uses of tl	he substance or mixture and uses advised against		
		entified uses ect surfaces			
<u>1.3</u> .	Details of the	supplier of the sa	fety data sheet		
		-	r <b>/downstream user/distributor)</b> -5000 Aarau www.farbladen.ch		
	Dept. respor	sible for informatio	on:		
	-	petent person)	info@knuchel.ch		
1.4.		telephone number			
SEC	TION 2: Ha	ards identificat	ion		
2.1.		on of the substan on according to F	nce or mixture Regulation (EC) No 1272/2008 [CLP]		
		-	t hazardous according to regulation (EC) No 1272/2008 [CLP].		
2.2.	Label elem		lation (EC) No. 1272/2008 [CLP]		
	Hazard pict				
	Hazard stat				
	_	not appl	licable		
	Precaution P101	ary statements	cal advice is needed, have product container or label at hand.		
	P102	Κеер οι	ut of reach of children.		
	P103		bel before use.		
	Hazard con	nponents for labe not appl	-		
	Supplemental Hazard information (EU)         EUH208       Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7], and 2-methyl-2H				
	EUH210		zol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction. data sheet available on request.		
2.3.	Other haza	rds			
	No informat	on available.			
SEC	TION 3: Co	mposition / info	rmation on ingredients		
3.2.	Mixtures				
	Descriptior	waterbo	orne acrylic dispersion paint, containing the following hazardous substances:		
	Classificati EC No. CAS No. INDEX No.	REACH Design			
		Jugom			

not applicable

Article No.:	572	DUROPRIM Objekt-Dispersion	
Print date:	19.12.2019	Revision date: 14.12.2019	EN
Version:	9.8	Issue date: 14.12.2019	Page 2 / 7

#### Additional information

Full text of H-phrases: see section 16.

## SECTION 4: First aid measures

#### 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water) Unsuitable extinguishing media

strong water jet

### 5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

#### 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

#### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

## Ventilate affected area. Do not breathe vapours.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

## 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

#### 6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal

Article No.:	572	DUROPRIM Objekt-Dispersion	
Print date:	19.12.2019	Revision date: 14.12.2019	EN
Version:	9.8	Issue date: 14.12.2019	Page 3 / 7

protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

#### Further information on storage conditions

Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limit values:

not applicable

#### 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

#### Personal protection equipment

#### Respiratory protection

Not applicable.

#### Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material 0,4 mm Breakthrough time (maximum wearing time) 30 min

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin: Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

#### Eye/face protection

Wear closely fitting protective glasses in case of splashes.

#### Body protection

Wear suitable protective clothing and gloves.

#### Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

## Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance:	
Physical state:	Liquid
Colour:	refer to label
Odour:	characteristic
Odour threshold:	not applicable
pH at 20 °C:	not applicable
Melting point/freezing point:	not applicable
Initial boiling point and boiling range:	100 °C
	Source: Wasser
Flash point:	not applicable

Article No.: Print date: /ersion:	572 19.12.2019 9.8	Revision date: Issue date: 14.		EN Page 4 / 7
Evapor	ation rate:		not applicable	
flamma			<i>.</i>	
	ng time (s):		not applicable	
	ower flammability o r explosion limit:	r explosive limits:	not applicable	
	r explosion limit:		not applicable	
	pressure at 20 °C:		23 mbar	
•	•		Source: Wasser	
Vapour	density:		not applicable	
	e density:			
	y at 20 °C:		1.56 g/cm³	
	ity(ies): solubility (g/L) at 20	°C·	partially soluble	
	n coefficient: n-octa		see section 12	
	nition temperature:		not applicable	
•	position temperatur	e:	not applicable	
	ity at °C:		 3500 - 3750 mPas	
	ive properties:		not applicable	
Oxidisi	ng properties:		not applicable	
9.2. Other in	nformation			
Solid c	ontent (%):		60 Wt %	
	content:			
Organ Water	nic solvents:		1 Wt % 39 Wt %	
		- 41 14	<b>33 W</b> t 78	
	): Stability and rea	ctivity		
10.1. Reactiv No infor	<b>rity</b> rmation available.			
Stable v	<b>Chemical stability</b> Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.			
	<b>Possibility of hazardous reactions</b> Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.			
10.4. Conditi				
				handling. Further information on correct storage: refer to sure to high temperatures.
-	5. Incompatible materials not applicable			
Hazardo	<ul> <li>6. Hazardous decomposition products Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.</li> </ul>			
SECTION 11	I: Toxicological in	formation		
	cation according to R		1272/2008 [CLP]	
11.1. Informa	ation on toxicologic	al effects		
Acute t	oxicity			
Based (	on available data, the	classification criter	ia ara nat mat	

Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Article No.:	572	DUROPRIM Objekt-Dispersion	
Print date:	19.12.2019	Revision date: 14.12.2019	EN
Version:	9.8	Issue date: 14.12.2019	Page 5 / 7

Based on available data, the classification criteria are not met.

### STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

#### **Overall Assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

### **SECTION 12: Ecological information**

Classification according to Regulation (EC) No 1272/2008 [CLP] Do not allow to enter into surface water or drains.

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

#### Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

# Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

## 12.4. Mobility in soil

Toxicological data are not available.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

### Appropriate disposal / Product

### Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 08 01 11

#### Appropriate disposal / Package

#### Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

## **SECTION 14: Transport information**

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

No dangerous good in sense of this transport regulation.

14.1. UN number

Article Print d Versio	late:	572 19.12.2019 9.8	DUROPRIM Objekt-Dispersion Revision date: 14.12.2019 Issue date: 14.12.2019	EN Page 6 / 7			
14.2. UN proper shipping name							
14.3.	Transport	hazard class(es)	not applicable				
14.4.	Packing gr	oup	not applicable				
14.5.	Environme	ntal hazards					
	Land transp	ort (ADR/RID)	not applicable				
	Marine pollu	utant	not applicable				
14.6.	Special pre	ecautions for user					
Transport always in closed, uprig case of an accident or leakage. Advices on safe handling: see pa		accident or leakage.	-	that persons transporting the product know what to do in			
	Further info	ormation					
	Land trans	port (ADR/RID)					
	tunnel restri	iction code	-				
	Sea transp	ort (IMDG)					
	EmS-No.		not applicable				
14.7.	4.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable		he IBC Code				
SEC	TION 15: R	egulatory inform	ation				
15.1.	Safety, hea	lth and environme	ntal regulations/legislation specifi	c for the substance or mixture			
	EU legislat	ion					
	Directive 2010/75/EU on industrial emissions VOC-value (in g/L): 13						
	National regulations						
	<b>Restrictions of occupation</b> Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mother Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).						
	-		s and prohibition regulations				
15.2.		Safety Assessment afety assessments f	or substances in this mixture were n	ot carried out.			

## **SECTION 16: Other information**

## Abbreviations and acronyms

	or only mo
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
OEL	Occupational Exposure Limit Value
BLV	Biological Limit Value
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic and Reprotoxic
DIN	German Institute for Standardization / German industrial standard
DNEL	Derived No-Effect Level
EAKV	European Waste Catalogue Directive
EC	Effective Concentration
EC	European Community
EN	European Standard
IATA-DGR	International Air Transport Association – Dangerous Goods Regulations
IBC Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous
	Goods by Air
IMDG Code	International Maritime Code for Dangerous Goods

Article No.: Print date: Version:	572 19.12.2019 9.8	DUROPRIM Objekt-Dispersion Revision date: 14.12.2019 Issue date: 14.12.2019	EN Page 7 / 7			
ISO	Internat	ional Organization for Standardization	n			
LC	Lethal C	Lethal Concentration				
LD	Lethal D	Dose				
OECD Organisa PBT persisten PNEC Predicted REACH Registrat RID Regulatio		Aritime Pollution: The International Convention for the Prevention of Pollution from Ships				
		Organisation for Economic Cooperation and Development				
		ent, bioaccumulative, toxic ed No Effect Concentration				
						tration, Evaluation, Authorisation and Restriction of Chemicals
		tions concerning the International Carriage of Dangerous Goods by Rail				
		ited Nations				
		VOC	Volatile	le Organic Compounds		
vPvB very persis		rsistent and very bioaccumulative				

#### Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.